

Figure 1

Drawing Sheet 2 of 9

Title: Method for Utilizing Look and Feel In A Graphical User Interface  
 Inventor(s): Olander, et al.  
 Application No.: Not Yet Assigned Attorney: Daniel J. Burns  
 Docket No.: BEAS-01379US0 Telephone No.: (415) 362-3800  
 Filing date: Filed Herewith Express Mail No.: EV327621995US




Figure 2

Drawing Sheet 3 of 9

Title: Method for Utilizing Look and Feel In A Graphical User Infertace

Inventor(s): Olander, et al.

Application No.: Not Yet Assigned Attorney: Daniel J. Burns

Docket No.: BEAS-01379US0 Telephone No.: (415) 362-3800

Filing date: Filed Herewith Express Mail No.: EV327621995US




Figure 3

**Drawing Sheet 4 of 9**

**Title:** Method for Utilizing Look and Feel In A Graphical User Interface

**Inventor(s):** Olander, et al.

**Application No.:** Not Yet Assigned


**Attorney:** Daniel J. Burns

**Docket No.:** BEAS-01379US0

**Telephone No.:** (415) 362-3800

**Filing date:** Filed Herewith

**Express Mail No.:** EV327621995US



*Figure 4*

Title: Method for Utilizing Look and Feel In A Graphical User Interface

Inventor(s): Olander, et al.

Application No.: Not Yet Assigned

Attorney: Daniel J. Burns

Docket No.: BEAS-01379US0

Telephone No.: (415) 362-3800

Filing date: Filed Herewith

Express Mail No.: EV327621995US




Figure 5

Title: Method for Utilizing Look and Feel In A Graphical User Infertace

Inventor(s): Olander, et al.

Application No.: Not Yet Assigned

Docket No.: BEAS-01379US0

Filing date: Filed Herewith

Attorney: Daniel J. Burns

Telephone No.: (415) 362-3800

Express Mail No.: EV327621995US





Figure 6

**Drawing Sheet 7 of 9**

**Title:** Method for Utilizing Look and Feel In A Graphical User Infertace  
**Inventor(s):** Olander, et al. **Attorney:** Daniel J. Burns  
**Application No.:** Not Yet Assigned **Telephone No.:** (415) 362-3800  
**Docket No.:** BEAS-01379US0 **Express Mail No.:** EV327621995US  
**Filing date:** Filed Herewith



*Figure 7*

Title: Method for Utilizing Look and Feel In A Graphical User Interface

Inventor(s): Olander, et al.

Application No.: Not Yet Assigned

Attorney: Daniel J. Burns

Docket No.: BEAS-01379US0

Telephone No.: (415) 362-3800

Filing date: Filed Herewith

Express Mail No.: EV327621995US




Figure 8



Drawing Sheet 9 of 9

Title: Method for Utilizing Look and Feel In A Graphical User Interface  
Inventor(s): Olander, et al.  
Application No.: Not Yet Assigned Attorney: Daniel J. Burns  
Docket No.: BEAS-01379US0 Telephone No.: (415) 362-3800  
Filing date: Filed Herewith Express Mail No.: EV327621995US

```
<%@page
import="com.bea.netuix.servlets.controls.window.WindowPresentationContext,com.bea.netu
ix.servlets.controls.window.TitlebarContext"
%>
<%@ taglib uri="render.tld" prefix="render" %>
<% WindowPresentationContext window =
WindowPresentationContext.getWindowPresentationContext(request);
TitlebarContext titlebar
= (TitlebarContext) window.getFirstChild("window:titlebar");
String expandWidth = "100%";
%>

<render:beginRender>
<div
  <render:writeAttribute name="id" value="<%= window.getPresentationId() %>"/>
  <render:writeAttribute name="class" value="<%= window.getPresentationClass() %>"
    defaultValue="bea-portal-window"/>
  <render:writeAttribute name="style" value="<%= window.getPresentationStyle() %>"/>
  <render:writeAttribute name="width"
    value="<%= window.isPacked() ? null : expandWidth %>"/>
  >
  <% if (titlebar != null) { %>
    <render:renderChild presentationContext="<%= titlebar %>"/>
  <% } %>
  <div class="bea-portal-window-content">
</render:beginRender>
<render:endRender>
  </div>
</div>
</render:endRender>
```

Figure 9